



## BAU-FAHRZEUGE

Kippaufbauten und Kippanhänger

# FÜR DEN SCHWEREN EINSATZ



1



5



2



6



3



4

- [1] KAB 24, 5100 x 2400 x 1000 mm, Boden 6 mm HB 450, B. W. 5 mm HB 450, Kombi-Rückwand, Eigengewicht ca. 3100 kg
- [2]+[3] KAB 24, 5100 x 2400 x 1100 mm, Boden 6 mm HB 450, B. W. 4 mm HB 450 mit Bordmatic, Eigengewicht ca. 2900 kg
- [4] THKD 18, 5100 x 2400 x 1100 mm, Boden 6 mm HB 450, B. W. 4 mm HB 450, Eigengewicht ca. 4400 kg
- [5] THKD 18, 5100 x 2400 x 1000 mm, Boden 6 mm HB 450, B. W. 5 mm HB 450, Kombi-Rückwand, Eigengewicht ca. 4800 kg
- [6] KAB 24, 5000 x 2400 x 1000 mm, Boden 5 mm HB 450, B. W. 4 mm HB 450, Eigengewicht ca. 2400 kg  
THKD 18, 5000 x 2400 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht 4100 kg



1



2



3



4

**[1]+[2]** KA 24, 5000 x 2400 x 1000 mm  
Boden 6 mm HB 450, B. W. 4 mm HB 450  
R. W. 6 mm HB 450, pneumatisch abklappbar, 500 mm hoch,  
Eigengewicht ca. 2800 kg

**[3]+[4]** THKD 18, 6300 x 2400 x 700 mm, Boden 6 mm HB 450,  
B. W. 3 mm FK, Ladebodenhöhe ca. 1270 mm, Eigengewicht ca.  
5300 kg

**[5]** THKD 18, 4800 x 2400 x 900 mm, Boden 5 mm HB 450,  
B. W. Alu 60/40/60 mm, Eigengewicht ca. 4050 kg

**[6]** KA 24, 5000 x 2420 x 1200 mm, Boden 10 mm Alu, B. W. links Alu  
60/40/30 mm, B. W. rechts Alu 40 mm, Eigengewicht ca 1900 kg  
THK 18, 5000 x 2420 x 1200 mm, Boden 10 mm Alu, B. W. Alu  
60/40/30 mm, Eigengewicht ca. 3800 kg



5



6

# FÜR DEN GEWICHTSOPTIMIERTEN EINSATZ



**[1]** KAB 24, 4800 x 2400 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 2200 kg

**[2]** KAB 24, 5000 x 2450 x 1000 mm, Boden 7 mm Alu, B. W. Alu 40/30 mm, Eigengewicht ca. 1650 kg  
 THKD 18, 5000 x 2450 x 1000 mm, Boden 7 mm Alu, B. W. Alu 40/30 mm, Eigengewicht ca. 3600 kg

**[3]+[4]** KA 24, 5200 x 2450 x 900 mm, Boden 7 mm Alu, B. W. links Alu 40/30 mm, B. W. rechts Alu 40 mm, Eigengewicht ca. 1700 kg

THK 18, 5200 x 2450 x 900 mm, Boden 7 mm Alu, B. W. links Alu 40/30 mm, B. W. rechts Alu 40 mm, Eigengewicht ca. 3900 kg

**[5]** THKD 18, 4800 x 2400 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 3900 kg

**[6]** KAB 24, 5000 x 2350 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40 mm, Eigengewicht ca. 2500 kg



1



5



2



6



3



4

**[1]+[2]** KA 24, 5400 x 2430 x 1100 mm, Boden 7 mm Alu, B. W. links Alu 60/40/30 mm, B. W. rechts Alu 40 mm, Eigengewicht ca. 1950 kg

THK 18, 5400 x 2430 x 1100 mm, Boden 7 mm Alu, B. W. links Alu 60/40/30 mm, B. W. rechts 40 mm, Eigengewicht ca. 3700 kg

**[3]** KA 35, 5600 x 2430 x 1150 mm, Boden 10 mm Alu, B. W. links Alu 60/40/30 mm, B. W. rechts Alu 40 mm, Eigengewicht ca. 2600 kg

**[4]** EHKM 9 AK, 3800 x 2430 x 800 mm, Boden 7 mm Alu, B. W. 40 mm, Eigengewicht ca. 2400 kg

**[5]** EHKD 9, 3800 x 2400 x 600 mm, Boden 4 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 2600 kg

**[6]** KAM 24 AK, 4500 x 2430 x 1200 mm, Boden 10 mm Alu, B. W. Alu 40 mm, Eigengewicht ca. 2100 kg

# FÜR DEN SPEZIELLEN EINSATZ



1



5



2



6



3



4

**[1]+[5]** KAM 35 SR, 5900 x 2350 x 1350 mm, Boden 8 mm HB 450, B. W. 5 mm HB 450, Eigengewicht ca. 4100 kg

**[2]** KAM 35 ARB, 5600 x 2350 x 1450 mm, Boden 7 mm, hinten 3000 mm 10 mm Alu, B. W. 5 mm Alu, Eigengewicht ca. 2300 kg

**[3]** THKD 24, 6000 x 2420 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40/30 mm, Eigengewicht ca. 5500 kg

**[4]** THKD 24, 5200 x 2400 x 1000 mm, Boden 5 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 5000 kg

**[6]** KAB 24, 5400 x 2420 x 1000 mm, Boden 4 mm HB 450, B. W. Alu 60/40/60, Ladekran hinter dem Fahrerhaus, Eigengewicht o. Kran ca. 2200 kg



1



2



3



4

[1] THKM 24 SRB, 5700 x 2350 x 1350 mm, Boden 5 mm HB 450, B. W. 4 mm HB 450, Eigengewicht ca. 5650 kg

[2] HKD 18, 6500 x 2450 x 1100 mm, Boden 7 mm Alu, B. W. Alu 30 mm, Eigengewicht ca. 3900 kg

[3] HKD 18, 5500 x 2420 x 900 mm, Boden 5 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 4400 kg

[4] HK 24, 7200 x 2420 x 1000 mm, Boden 7 mm Alu, B. W. Alu 60/40/30 mm, Eigengewicht ca. 4900 kg

[5] HK 24, 7600 x 2450 x 1000 mm, Boden 4 mm HB 450, B. W. Alu 30 mm, Eigengewicht ca. 5400 kg, nur nach hinten kippbar

[6] HKD 24, 6000 x 2420 x 1000 mm, Boden 4 mm HB 450, B. W. Alu 60/40/60 mm, Eigengewicht ca. 5300 kg



5



6

## Vorsprung durch Innovation

